


GLOBAL RECOVERY SCORE (AGGREGATE)



The GRS is a composite score that combines nine factors from Trac9. It uses the average scores of Resilience and Pathology to measure progress in treatment. The factors include commitment to sobriety, spirituality, optimism, quality of life, anxiety, stress, depression, visual craving, and verbal craving. Pathology factors are scored in reverse before averaging with resilience factors. A higher GRS score indicates greater improvement in the patient's condition.

RED ROCK IS AT 11% FOR GRS VERSUS THE NATIONAL AVERAGE AT 7% 4 WEEKS AFTER TREATMENT

GRS




QUALITY OF LIFE IN ADDICTION RECOVERY

Quality of life in addiction recovery assesses changes in perceived life satisfaction from current moment contrast to when they were in active addiction. Higher scores mean that the patient believes the quality of their current sober lifestyle is better than the quality of life while in active addiction.

Red Rock is at 26% versus the National Average at 9% 4 weeks after treatment


QUALITY OF LIFE



THERAPIST SATISFACTION

Overall therapist satisfaction with Red Rock at 25% versus the National Average of 7% 4 weeks after treatment

Therapist Sat




ANXIETY

Anxiety measures the generality, excessiveness, and uncontrollability dimensions of pathological worry.

Red Rock is at -24% reduction in Anxiety with the National Average at -16%

Anxiety




DEPRESSION

Depression measures symptoms associated with depression, such as restless sleep, poor appetite, and feeling lonely.


Red Rock is at -54% versus the National Average at -43% at the fourth week in treatment

Depression: Percent Change from Week 1



Depression: Percent Change from Week 1						
	Basecamp - Inpatient			National Average		
	MEAN	SD	N	MEAN	SD	N
DEPR Week 1 to 2	-14%	0.57	26	-18%	0.46	14912
DEPR Week 1 to 3	-41%	0.47	20	-33%	0.46	13456
DEPR Week 1 to 4	-54%	0.34	10	-43%	0.45	10772
Isolated to successful discharge only.Outliers Winsorized at 3SD						

Trauma: Percent Change from Week 1



Trauma: Percent Change from Week 1						
	Basecamp - Inpatient			National Average		
	MEAN	SD	N	MEAN	SD	N
TRAUMA Week 1 to 2	-6%	0.25	26	-9%	0.30	7475
TRAUMA Week 1 to 3	-24%	0.25	20	-15%	0.30	6329
TRAUMA Week 1 to 4	-28%	0.25	10	-20%	0.31	4483
Isolated to successful discharge only.Outliers Winsorized at 3SD						

Red Rock (-28%) beats the national average of -20% in improving trauma across patients at the 4th week of treatment




VERBAL CRAVING

Verbal craving assesses craving urges specific to drug of choice through self-report.

Red Rock is at -66% versus the national average -45% at 4 weeks of treatment.

Verbal Cravings: Percent Change from Week 1



Verbal Cravings: Percent Change from Week 1

	Basecamp - Inpatient			National Average		
	MEAN	SD	N	MEAN	SD	N
VERB Week 1 to 2	-30%	0.48	20	-20%	0.91	12289
VERB Week 1 to 3	-52%	0.42	16	-36%	0.87	11154
VERB Week 1 to 4	-66%	0.34	10	-45%	0.82	9060
Isolated to successful discharge only.Outliers Winsorized at 3SD						